

## EKSPLUATĀCIJAS ĪPAŠĪBU DEKLARĀCIJA

Nr. V.014

1. Unikālais izstrādājuma tipa identifikācijas numurs:

**Produktu numuri pievienotajā sarakstā.**

*Tips, sērija vai cits identifikācijas elements:*

**Keramikas izlietnes bez pārplūdes. Keramikas izlietnes ar pārplūdi.**

2. Paredzētais izmantojums: **Personīgā higiēna (PH)**

3. 11. panta 5. punktā minētā ražotāja nosaukums, tirdzniecības nosaukums vai reģistrēta preču zīme un kontaktadrese:

**RAVAK a.s.**  
**Obecnická 285**  
**261 01, Příbram 1**  
**ČEHU REPUBLIKA**  
<http://www.ravak.com>

4. Pilnvarotais pārstāvis: **neattiecas**

5. Eksploatācijas īpašību noturības novērtējuma un pārbaudes (AVCP) sistēma: **Sistēma 4**

6. Saskaņotais standarts: **EN 14688:2006**

Paziņotā iestāde: ---

7. Deklarētās eksploatācijas īpašības:

izlietnes bez pārplūdes:

Būtiskie raksturlielumi	Eksploatācijas īpašības	Saskaņota tehniskā specifikācija
Pārplūdes kapacitāte (OF)	CL 00	EN 14688:2006
Tīrāmība (CA)	Atbilst	
Slodzes izturība (LR)	Atbilst	
Kalpošanas laiks (DA)	Atbilst	

izlietnes ar pārplūdi:


Būtiskie raksturlielumi	Eksploatācijas īpašības	Saskaņota tehniskā specifikācija
Pārplūdes kapacitāte (OF)	CL 10/15/20	EN 14688:2006
Tīrāmība (CA)	Atbilst	
Slodzes izturība (LR)	Atbilst	
Kalpošanas laiks (DA)	Atbilst	

Iepriekš norādītā izstrādājuma eksploatācijas īpašības atbilst deklarēto eksploatācijas īpašību kopumam. Šī eksploatācijas īpašību deklarācija izdota saskaņā ar Regulu (ES) Nr. 305/2011, un par to ir atbildīgs vienīgi iepriekš norādītais ražotājs.

Parakstīts ražotāja vārdā:

Ing. Patrik Kreysa  
Komercedirektors

Příbramě, 2026. gada 4. maijā



## Pielikums darbības deklarācija

**Nr. V.014**

### Keramikas izlietnes bez pārplūdes.

<b>Produkta numurs</b>	<b>Nosaukums/dimensija</b>	<b>CE marķējums</b>
XJX01250000	Balance 500 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01260000	Balance 600 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01280000	Balance 800 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX03155000	Ceramic 550 O Slim ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0D155000	Ceramic 550 O Slim ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01155001	Ceramic 550 O Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E155000	Ceramic 550 O Slim ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX03155003	Ceramic 550 R Slim ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0D155001	Ceramic 550 R Slim ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01155002	Ceramic 550 R Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E155004	Ceramic 550 R Slim ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX01160001	Ceramic 600 O ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01160002	Ceramic 600 R ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01260001	Comfort 600 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01280001	Comfort 800 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01150000	Cori 500 Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01158000	Cori 580 Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX03160000	Julan 600 ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0D160000	Julan 600 ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01160007	Julan 600 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E160000	Julan 600 ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX01249000	Márta 490 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01264000	Márta 640 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01150003	MOYA 500 ceramic white	EN 14688 - CL00; CA-DA
XJX01160011	MOYA 600 ceramic white	EN 14688 - CL00; CA-DA
XJX01180006	MOYA 800 ceramic white	EN 14688 - CL00; CA-DA
XJX01140006	PAJA 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX03138000	Uni 380 S Slim ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0D138000	Uni 380 S Slim ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01138001	Uni 380 S Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E138000	Uni 380 S Slim ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX03140000	Uni 400 B Slim ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0D140000	Uni 400 B Slim ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01140003	Uni 400 B Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E140000	Uni 400 B Slim ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX01140001	Uni 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX03140001	Uni 400 Slim ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0D140001	Uni 400 Slim ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01140002	Uni 400 Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E140001	Uni 400 Slim ceramic white matt	EN 14688 - CL00; OF-CA-DA

<b>Produkta numurs</b>	<b>Nosaukums/dimensija</b>	<b>CE marķējums</b>
XJX0E140001	Uni 400 Slim ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX01150004	Uni 500 O Slim ceramic white	EN 14688 - CL00; OF-CA-DA
GPX2240601	Uni 500 O Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX03150001	Uni 500 R Slim ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX03150000	Uni 500 R Slim ceramic black	EN 14688 - CL00; OF-CA-DA
XJX0D150000	Uni 500 R Slim ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01150001	Uni 500 R Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E150000	Uni 500 R Slim ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX03228000	Yard 280 C ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0G228000	Yard 280 C ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX07228000	Yard 280 C ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX0O228000	Yard 280 C ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0D228000	Yard 280 C ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX08228000	Yard 280 C ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX01228000	Yard 280 C ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E228001	Yard 280 C ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0D028000	Yard 280 C w/o hole ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01028000	Yard 280 C w/o hole ceramic white	EN 14688 - CL00; OF-CA-DA
XJX03028000	Yard 280 C w/o hole ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0G240000	Yard 400 ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03240002	Yard 400 ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07240000	Yard 400 ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX08240000	Yard 400 ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX0O240000	Yard 400 ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0D040000	Yard 400 w/o hole ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX08040000	Yard 400 w/o hole ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX01040000	Yard 400 w/o hole ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E040000	Yard 400 w/o hole ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0D240002	Yard 400 ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01240002	Yard 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E240001	Yard 400 ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0G040000	Yard 400 w/o hole ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03040000	Yard 400 w/o hole ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07040000	Yard 400 w/o hole ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX0O040000	Yard 400 w/o hole ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0G245000	Yard 450 C ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03245000	Yard 450 C ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07245000	Yard 450 C ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX0O245000	Yard 450 C ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0D045000	Yard 450 C w/o hole ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01045000	Yard 450 C w/o hole ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E045000	Yard 450 C w/o hole ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0D245000	Yard 450 C ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX08245000	Yard 450 C ceramic grey green	EN 14688 - CL00; OF-CA-DA

<b>Produkta numurs</b>	<b>Nosaukums/dimensija</b>	<b>CE marķējums</b>
XJX01245000	Yard 450 C ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E245001	Yard 450 C ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0G045000	Yard 450 C w/o hole ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03045000	Yard 450 C w/o hole ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07045000	Yard 450 C w/o hole ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX08045000	Yard 450 C w/o hole ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX0O045000	Yard 450 C w/o hole ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0G260000	Yard 600 ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03260002	Yard 600 ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX08260000	Yard 600 ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX0O260000	Yard 600 ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0D060000	Yard 600 w/o hole ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX08060000	Yard 600 w/o hole ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX01060000	Yard 600 w/o hole ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E060000	Yard 600 w/o hole ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0D260002	Yard 600 ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX07260000	Yard 600 ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX01260002	Yard 600 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E260001	Yard 600 ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0G060000	Yard 600 w/o hole ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03060000	Yard 600 w/o hole ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07060000	Yard 600 w/o hole ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX0O060000	Yard 600 w/o hole ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX0G280000	Yard 800 ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03280002	Yard 800 ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07280000	Yard 800 ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX0O280000	Yard 800 ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
XJX01280002	Yard 800 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01080000	Yard 800 w/o hole ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0D080000	Yard 800 w/o hole ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX0E080000	Yard 800 w/o hole ceramic hole white matt	EN 14688 - CL00; OF-CA-DA
XJX0D280002	Yard 800 ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX08280000	Yard 800 ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX0E280001	Yard 800 ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX0G080000	Yard 800 w/o hole ceramic alabaster pink	EN 14688 - CL00; OF-CA-DA
XJX03080000	Yard 800 w/o hole ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX07080000	Yard 800 w/o hole ceramic deepsea blue	EN 14688 - CL00; OF-CA-DA
XJX08080000	Yard 800 w/o hole ceramic grey green	EN 14688 - CL00; OF-CA-DA
XJX0O080000	Yard 800 w/o hole ceramic smoke grey	EN 14688 - CL00; OF-CA-DA
X01717	UNI F SLIM 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJXL3240000	VEDA 400 W L ceramic anthracite	EN 14688 - CL00; OF-CA-DA-LR
XJXLD240000	VEDA 400 W L ceramic black matt	EN 14688 - CL00; OF-CA-DA-LR
XJXL1240000	VEDA 400 W L ceramic white	EN 14688 - CL00; OF-CA-DA-LR
XJXLE240000	VEDA 400 W L ceramic white matt	EN 14688 - CL00; OF-CA-DA-LR

<b>Produkta numurs</b>	<b>Nosaukums/dimensija</b>	<b>CE marķējums</b>
XJXP3240000	VEDA 400 W R ceramic anthracite	EN 14688 - CL00; OF-CA-DA-LR
XJXPD240000	VEDA 400 W R ceramic black matt	EN 14688 - CL00; OF-CA-DA-LR
XJXP1240000	VEDA 400 W R ceramic white	EN 14688 - CL00; OF-CA-DA-LR
XJXPE240000	VEDA 400 W R ceramic white matt	EN 14688 - CL00; OF-CA-DA-LR
X01720	VEDA 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX03240000	VEDA Slim 400 ceramic anthracite	EN 14688 - CL00; OF-CA-DA
XJX0D240000	VEDA Slim 400 ceramic black matt	EN 14688 - CL00; OF-CA-DA
XJX01240000	VEDA Slim 400 ceramic white	EN 14688 - CL00; OF-CA-DA
XJX0E240002	VEDA Slim 400 ceramic white matt	EN 14688 - CL00; OF-CA-DA
XJX01140007	Zeta 400 Slim ceramic white	EN 14688 - CL00; OF-CA-DA
XJX01155007	Zeta 550 Slim ceramic white	EN 14688 - CL00; OF-CA-DA

### Keramikas izlietnes ar pārplūdi

<b>Produkta numurs</b>	<b>Nosaukums/dimensija</b>	<b>CE marķējums</b>
XJX01150002	ARCTIC 500 ceramic white	EN 14688 – CL10; OF-CA-DA
XJX01161000	ARCTIC 600 ceramic white	EN 14688 – CL10; OF-CA-DA
XJX01180004	ARCTIC 800 ceramic white	EN 14688 – CL10; OF-CA-DA
XJX0D160001	ARTISAN 600 ceramic black matt	EN 14688 – CL15; OF-CA-DA-LR
XJX01160009	ARTISAN 600 ceramic white	EN 14688 – CL15; OF-CA-DA-LR
XJX0E160001	ARTISAN 600 ceramic white matt	EN 14688 – CL15; OF-CA-DA-LR
XJX0D180000	ARTISAN 800 ceramic black matt	EN 14688 – CL15; OF-CA-DA-LR
XJX01180003	ARTISAN 800 ceramic white	EN 14688 – CL15; OF-CA-DA-LR
XJX0E180000	ARTISAN 800 ceramic white matt	EN 14688 – CL15; OF-CA-DA-LR
XJX03155001	Ceramic 550 O Slim Shelf ceramic anthracite	EN 14688 – CL15; OF-CA-DA
XJX0D155002	Ceramic 550 O Slim Shelf ceramic black matt	EN 14688 – CL15; OF-CA-DA
XJX01155003	Ceramic 550 O Slim Shelf ceramic white	EN 14688 – CL15; OF-CA-DA
XJX0E155001	Ceramic 550 O Slim Shelf ceramic white matt	EN 14688 – CL15; OF-CA-DA
XJX01155004	Ceramic 550 O Slim Wall ceramic white	EN 14688 – CL15; OF-CA-DA
XJX03155002	Ceramic 550 O Slim Wall N ceramic anthracite	EN 14688 – CL15; OF-CA-DA-LR
XJX0D155003	Ceramic 550 O Slim Wall N ceramic black matt	EN 14688 – CL15; OF-CA-DA-LR
XJX01155008	Ceramic 550 O Slim Wall N ceramic white	EN 14688 – CL15; OF-CA-DA-LR
XJX0E155003	Ceramic 550 O Slim Wall N ceramic white matt	EN 14688 – CL15; OF-CA-DA-LR
XJX03155004	Ceramic 550 R Slim Shelf ceramic anthracite	EN 14688 – CL15; OF-CA-DA
XJX0D155004	Ceramic 550 R Slim Shelf ceramic black matt	EN 14688 – CL15; OF-CA-DA
XJX01155005	Ceramic 550 R Slim Shelf ceramic white	EN 14688 – CL15; OF-CA-DA
XJX0E155005	Ceramic 550 R Slim Shelf ceramic white matt	EN 14688 – CL15; OF-CA-DA
XJX01155006	Ceramic 550 R Slim Wall ceramic white	EN 14688 – CL15; OF-CA-DA
XJX03155005	Ceramic 550 R Slim Wall N ceramic anthracite	EN 14688 – CL15; OF-CA-DA-LR
XJX0D155005	Ceramic 550 R Slim Wall N ceramic black matt	EN 14688 – CL15; OF-CA-DA-LR
XJX01155000	Ceramic 550 R Slim Wall N ceramic white	EN 14688 – CL15; OF-CA-DA-LR
XJX0E155006	Ceramic 550 R Slim Wall N ceramic white matt	EN 14688 – CL15; OF-CA-DA-LR
XJX01163000	EBS Victory 630 ceramic white	EN 14688 – CL15; OF-CA-DA
XJX01125000	Frost 500 ceramic white	EN 14688 – CL10; OF-CA-DA

<b>Produkta numurs</b>	<b>Nosaukums/dimensija</b>	<b>CE marķējums</b>
XJX01125500	Frost 550 ceramic white	EN 14688 – CL10; OF-CA-DA
XJX01126000	Frost 600 ceramic white	EN 14688 – CL10; OF-CA-DA
XJX01128000	Frost 800 ceramic white	EN 14688 – CL10; OF-CA-DA
XJX01160008	Chrome 600 Slim ceramic white	EN 14688 – CL20; OF-CA-DA
XJX01170002	Chrome 700 Slim ceramic white	EN 14688 – CL20; OF-CA-DA
XJX01180002	Chrome 800 Slim ceramic white	EN 14688 – CL20; OF-CA-DA
XJX03160001	Profi 600 ceramic anthracite	EN 14688 – CL15; OF-CA-DA-LR
XJX03180000	Profi 800 ceramic anthracite	EN 14688 – CL15; OF-CA-DA-LR
XJX01160010	Selva 600 ceramic white	EN 14688 – CL15; OF-CA-DA-LR
XJX01180005	Selva 800 ceramic white	EN 14688 – CL15; OF-CA-DA-LR

Ing. Patrik Kreysa  
Komercedirektors

Příbramě, 2026. gada 4. maijā

